

Parametry kanału deszczowego K3 w ul. PCK,  
w ul. Oleszczyńskiego, Sikorskiego w Krasnymstawie.

Nr węzła	Długość L [m]	Średnica D [mm]	Spadek i ‰	Rzędne m n.p.m.		Głębokość H [m]
				Terenu	Dna kanału	
1	2	3	4	5	6	7
D1	-	-	-	194,77	191,59	3,18
	12,0	300	9,2	-	-	-
D2	-	-	-	194,55	191,48	3,07
	30,0	300	9,0	-	-	-
D3	-	-	-	194,09	191,21	2,88
	31,0	300	9,0	-	-	-
D4	-	-	-	193,60	190,94	2,66
	30,0	300	9,0	-	-	-
D5	-	-	-	193,18	190,67	2,51
	30,0	300	9,0	-	-	-
D6	-	-	-	192,85	190,40	2,45
	20,0	300	9,0	-	-	-
D7	-	-	-	192,68	190,22	2,46
	30,0	300	9,0	-	-	-
D8	-	-	-	192,43	189,95/189,85	2,58
	33,0	400	21,0	-	-	-
D9	-	-	-	192,10	189,16	2,94
	31,0	400	21,3	-	-	-
D10	-	-	-	191,83	188,50	3,33
	36,0	400	12,5	-	-	-
D11	-	-	-	191,57	188,05	3,52
	28,0	400	12,5	-	-	-
D12	-	-	-	191,39	187,70	3,69
	30,0	400	13,8	-	-	-
D13	-	-	-	191,23	187,28	3,95
	28,0	400	13,8	-	-	-
D14	-	-	-	191,10	186,90	4,2
	30,0	400	7,3	-	-	-
D15	-	-	-	190,94	186,68	4,26
	18,0	400	7,3	-	-	-
D16	-	-	-	190,85	186,55	4,3
	45,0	400	5,4	-	-	-
D17				190,62	186,31	4,31
	38,0	400	5,4			
D18				190,41	186,10	4,31
	18,0	400	5,5			
D19				190,40	186,00/185,60	4,8
	15,0	800	5,0			
D20				190,20	185,52	4,68
	10,0	800	5,0			
D21				190,13	185,47	4,66
		-				

c.d. na str.2

Tabela Nr 3 – str. 2

1	2	3	4	5	6	7
D21	30,0	- 800	5,0	190,13	185,47	4,66
D22	32,0	- 800	5,0	189,81	185,32	4,49
D23	18,0	- 800	5,0	189,62	185,16	4,46
D24	11,0	- 800	5,4	189,55	185,07	4,48
D25	6,0	- 800	5,0	189,57	185,01	4,56
D26	33,0	- 800	12,2	189,40	184,98	4,42
D27	54,0	- 800	12,2	188,92	184,58	4,34
D29	22,0	- 800	12,2	188,68	183,92	4,76
D30	30,0	- 800	12,2	188,28	183,65	4,63
D31	40,0	- 800	10,0	187,26	183,28	3,98
D32	30,0	- 800	10,0	185,71	182,79	2,92
D33	18,0	- 800	10,0	185,08	182,49	2,59
D34	40,0	- 800	10,0	184,77	182,31	2,46
D35	18,0	- 800	10,0	184,64	181,91	2,73
D36	30,0			184,68	181,73	2,95
U				184,82	181,43/180,73	3,39

KONIEC TAB. Nr 3.

Tabela Nr 3A- str. 1

Parametry przykanalików od wpustów  
deszczowych kanału K3 w ul. PCK,  
ul. Oleszczyńskiego i ul. Sikorskiego oraz kanałów  
bocznych i przykanalików w zlewni tych kanałów.

Nr węzła	Długość L [m]	Średnica D [mm]	Spadek i ‰	Rzędne m n.p.m.		Głębokość H [m]
				Terenu	Dna kanału	
1	2	3	4	5	6	7
D37	-	-	-	194,68	191,82	2,86
D1	18,0	250	10,0	-	-	-
	-	-	-	194,77	191,64/191,59	3,13
W1	-	-	-	194,61	193,21	1,40
D37	6,0	200	40,0	-	-	-
	-	-	-	194,68	192,97	1,71
W2	-	-	-	194,61	193,21	1,40
D37	2,5	200	96,0	-	-	-
	-	-	-	194,68	192,97	1,71
D38	-	-	-	194,84	191,79	3,05
D1	15,0	250	10,0	-	-	-
	-	-	-	194,77	191,64/191,59	3,13
W3	-	-	-	194,77	193,37	1,40
D38	6,0	200	40,0	-	-	-
	-	-	-	194,84	193,13	1,71
W4	-	-	-	194,77	193,37	1,40
D38	3,0	200	80,0	-	-	-
	-	-	-	194,84	193,13	1,71
W5	-	-	-	194,51	193,11	1,40
D2	2,5	200	64,0	-	-	-
	-	-	-	194,55	192,95	1,60
W6	-	-	-	194,51	193,11	1,40
D2	4,0	200	40,0	-	-	-
	-	-	-	194,55	192,95	1,60

c.d. na str. 2

1	2	3	4	5	6	7
W7	-	-	-	194,05	192,65	1,40
D3	2,5	200	56,0	-	-	-
	-	-	-	194,09	192,51	1,58
W8	-	-	-	194,05	192,65	1,40
D3	3,5	200	40,0	-	-	-
	-	-	-	194,09	192,51	1,58
W9	-	-	-	193,56	192,16	1,40
D4	2,0	200	80,0	-	-	-
	-	-	-	193,60	192,00	1,60
W10	-	-	-	193,56	192,16	1,40
D4	4,0	200	40,0	-	-	-
	-	-	-	193,60	192,00	1,60
W11	-	-	-	193,17	191,77	1,40
D5	2,0	200	90,0	-	-	-
	-	-	-	193,18	191,59	1,59
W12	-	-	-	193,17	191,77	1,40
D5	4,5	200	40,0	-	-	-
	-	-	-	193,18	191,59	1,59
W13	-	-	-	192,80	191,40	1,40
D6	2,5	200	56,0	-	-	-
	-	-	-	192,85	191,26	1,59
W14	-	-	-	192,80	191,40	1,40
D6	3,5	200	40,0	-	-	-
	-	-	-	192,85	191,26	1,59
W15	-	-	-	192,62	191,22	1,40
D7	3,0	200	40,0	-	-	-
	-	-	-	192,68	191,11	1,58
W16	-	-	-	192,62	191,22	1,40
D7	3,0	200	40,0	-	-	-
	-	-	-	192,68	191,11	1,58

c.d. na str. 3

1	2	3	4	5	6	7
W17	-	-	-	192,37	190,97	1,40
D8	3,0	200	40,0	-	-	-
	-	-	-	192,43	190,85	1,58
W18	-	-	-	192,37	190,97	1,40
D8	3,0	200	40,0	-	-	-
	-	-	-	192,43	190,85	1,58
W19	-	-	-	192,07	190,67	1,40
D9	4,5	200	40,0	-	-	-
	-	-	-	192,10	190,47	1,61
W20	-	-	-	192,07	190,67	1,40
D9	1,5	200	120,0	-	-	-
	-	-	-	192,10	190,49	1,61
W21	-	-	-	191,82	190,42	1,40
D10	5,0	200	40,0	-	-	-
	-	-	-	191,83	190,22	1,61
W22	-	-	-	191,82	190,42	1,40
D10	2,5	200	80,0	-	-	-
	-	-	-	191,83	190,22	1,61
W23	-	-	-	191,55	190,15	1,40
D11	5,0	200	40,0	-	-	-
	-	-	-	191,57	189,95	1,62
W24	-	-	-	191,55	190,15	1,40
D11	1,5	200	133,0	-	-	-
	-	-	-	191,57	189,95	1,62
W25	-	-	-	191,38	189,98	1,40
D12	5,0	200	40,0	-	-	-
	-	-	-	191,39	189,78	1,61
W26	-	-	-	191,38	189,98	1,40
D12	1,5	200	133,0	-	-	-
	-	-	-	191,39	189,78	1,61

c.d. na str. 4

Tabela Nr 3A- str. 4

1	2	3	4	5	6	7
W27	-	-	-	191,21	189,81	1,40
D13	4,5	200	40,0	-	-	-
	-	-	-	191,23	189,63	1,60
W28	-	-	-	191,21	189,81	1,40
D13	1,5	200	120,0	-	-	-
	-	-	-	191,23	189,63	1,60
W29	-	-	-	191,07	189,67	1,40
D14	1,5	200	40,0	-	-	-
	-	-	-	191,10	189,47	1,63
W30	-	-	-	191,07	189,67	1,40
D14	1,5	200	133,0	-	-	-
	-	-	-	191,10	189,47	1,63
W31	-	-	-	190,91	189,51	1,40
D15	5,5	200	40,0	-	-	-
	-	-	-	190,94	189,29	1,65
W32	-	-	-	190,91	189,51	1,40
D15	1,5	200	147,0	-	-	-
	-	-	-	190,94	189,29	1,65
W33	-	-	-	190,82	189,42	1,40
D16	3,0	200	40,0	-	-	-
	-	-	-	190,85	189,30	1,55
W34	-	-	-	190,82	189,42	1,40
D16	3,0	200	40,0	-	-	-
	-	-	-	190,85	189,30	1,55
W35	-	-	-	190,59	189,19	1,40
D17	5,0	200	40,0	-	-	-
	-	-	-	190,62	188,99	1,63
W36	-	-	-	190,59	189,19	1,40
D17	2,0	200	100,0	-	-	-
	-	-	-	190,62	188,99	1,63

c.d. na str. 5

Tabela Nr 3A- str. 5

1	2	3	4	5	6	7
W37	-	-	-	190,39	188,99	1,40
D18	4,5	200	40,0	-	-	-
	-	-	-	190,41	188,81	1,60
W38	-	-	-	190,39	188,99	1,40
D18	1,5	200	120,0	-	-	-
	-	-	-	190,41	188,81	1,60
D39	-	-	-	190,47	186,24	1,40
D19	24,0	400	10,0	-	-	-
	-	-	-	190,40	186,00/185,60	4,40
W41	-	-	-	190,41	189,01	1,40
D41a	3,0	200	66,7	-	-	-
	-	-	-	190,47	188,81	1,66
W42	-	-	-	190,41	189,01	1,40
D41a	5,0	200	40,0	-	-	-
	-	-	-	190,47	188,81	1,66
D40	-	-	-	190,47	188,38	2,09
D41	17,0	600	86,0	-	-	-
D19	-	-	-	190,42	186,92/186,72	3,70
	14,0	800	80,0	190,40	185,60	4,80
W39	-	-	-	190,33	188,93	1,40
D41	4,5	200	40,0	-	-	-
	-	-	-	190,42	188,75	1,67
W40	-	-	-	190,33	188,93	1,40
D41	4,0	200	45,0	-	-	-
	-	-	-	190,42	188,75	1,67
W43	-	-	-	190,08	188,68	1,40
D21	4,5	200	40,0	-	-	-
	-	-	-	190,13	188,50	1,63
W44	-	-	-	190,08	188,68	1,40
D21	2,0	200	90,0	-	-	-
	-	-	-	190,13	188,50	1,63

c.d. na str. 6

Tabela Nr 3A- str. 6

1	2	3	4	5	6	7
W45	-	-	-	189,77	188,37	1,40
D22	5,0	200	40,0	-	-	-
	-	-	-	189,81	188,17	1,64
W46	-	-	-	189,77	188,37	1,40
D22	2,5	200	80,0	-	-	-
	-	-	-	189,81	188,17	1,64
W47	-	-	-	189,55	188,15	1,40
D23	7,0	200	40,0	-	-	-
	-	-	-	189,62	187,87	1,75
W48	-	-	-	189,56	188,15	1,40
D23	3,0	200	96,7	-	-	-
	-	-	-	189,62	187,87	1,75
D42	-	-	-	189,86	187,06	2,80
D43	11,0	400	40,0	-	-	-
D44	9,0	400	40,0	189,65	186,62	3,03
D26	22,0	400	40,0	189,43	186,26	3,17
				189,40	185,38/184,98	4,02
W49	-	-	-	189,82	188,42	1,40
D42	2,0	200	80,0	-	-	-
	-	-	-	189,86	188,26	1,60
W50	-	-	-	189,82	188,42	1,40
D42	4,0	200	40,0	-	-	-
	-	-	-	189,86	188,26	1,60
W51	-	-	-	189,47	188,07	1,40
D45	12,0	200	20,0	-	-	-
	-	-	-	189,43	187,83	1,60
W54	-	-	-	189,11	187,71	1,40
D26	12,0	200	20,0	-	-	-
	-	-	-	189,40	187,47	1,93

c.d. na str. 7



Tabela Nr 3A- str. 7

1	2	3	4	5	6	7
W55	-	-	-	189,11	187,71	1,40
D26	8,0	200	30,0	-	-	-
	-	-	-	189,40	187,47	1,93
D46	-	-	-	189,44	186,85	2,59
D25	18,0	400	80,0	-	-	-
	-	-	-	189,57	185,41/185,01	4,16
W52	-	-	-	189,41	188,01	1,40
D46	1,5	200	73,3	-	-	-
	-	-	-	189,44	187,90	1,54
W53	-	-	-	189,41	188,01	1,40
D46	5,5	200	20,0	-	-	-
	-	-	-	189,44	187,90	1,54
W56	-	-	-	188,86	187,46	1,40
D27	6,5	200	20,0	-	-	-
	-	-	-	188,92	187,33	1,59
W57	-	-	-	188,91	187,51	1,40
D27	6,0	200	30,0	-	-	-
	-	-	-	188,92	187,33	1,59
W58	-	-	-	188,64	187,24	1,40
D29	6,0	200	20,0	-	-	-
	-	-	-	188,68	187,12	1,56
W59	-	-	-	188,58	187,18	1,40
D29	3,0	200	20,0	-	-	-
	-	-	-	188,68	187,12	1,56
W60	-	-	-	188,31	186,91	1,40
D30	4,0	200	20,0	-	-	-
	-	-	-	188,28	186,83	1,45
W61	-	-	-	188,27	186,87	1,40
D30	3,0	200	13,3	-	-	-
	-	-	-	188,28	186,83	1,45

c.d. na str.8

1	2	3	4	5	6	7
W62	-	-	-	187,23	185,83	1,40
D31	4,5	200	20,0	-	-	-
	-	-	-	187,26	185,74	1,52
W63	-	-	-	187,23	185,83	1,40
D31	1,5	200	60,0	-	-	-
	-	-	-	187,26	185,74	1,52
W64	-	-	-	185,68	184,28	1,40
D32	2,0	200	80,0	-	-	-
	-	-	-	185,71	184,12	1,59
W65	-	-	-	185,62	184,22	1,40
D32	5,0	200	20,0	-	-	-
	-	-	-	185,71	184,12	1,59
W66	-	-	-	184,99	183,59	1,40
D33	3,0	200	20,0	-	-	-
	-	-	-	185,08	183,53	1,55
W67	-	-	-	185,09	183,69	1,40
D33	3,0	200	53,3	-	-	-
	-	-	-	185,08	183,53	1,55
W68	-	-	-	184,75	183,35	1,40
D34	3,0	200	20,0	-	-	-
	-	-	-	184,77	183,29	1,48
W69	-	-	-	185,09	183,69	1,40
D34	3,5	200	114,2	-	-	-
	-	-	-	184,77	183,29	1,48
W70	-	-	-	184,65	183,25	1,40
D35	4,0	200	20,0	-	-	-
	-	-	-	184,64	183,17	1,47
W71	-	-	-	184,60	183,20	1,40
D35	3,0	200	10,0	-	-	-
	-	-	-	184,64	183,17	1,47

c.d. na str. 9

Tabela Nr 3A- str. 9

1	2	3	4	5	6	7
W72	-	-	-	184,68	183,28	1,40
	3,0	200	43,3	-	-	-
D36	-	-	-	184,68	183,15	1,53
W73	-	-	-	184,61	183,21	1,40
	3,0	200	20,0	-	-	-
D36	-	-	-	184,68	183,15	1,53
D22a	-	-	-	189,92	187,70	2,23
	11,0	200	20,0	-	-	-
D22	-	-	-	189,81	187,48	2,33

KONIEC TAB. Nr 3A.